

## Processor settings CBR no sub

Categories		2-way Loudspeaker		
Model Name		CBR15	CBR12	CBR10
MTX-MRX library file name		CBR15.ce3	CBR12.ce3	CBR10.ce3
Drive Mode		Passive	Passive	Passive
Output Name		Full-range	Full-range	Full-range
Gain	(dB)	0.0	0.0	0.0
Delay	(ms)	none	none	none
Polarity		Normal	Normal	Normal
HPF	Freq (Hz)	40.0	40.0	45.0
	Slope (dB)	24	24	24
	Type	Adjustable Gc	Adjustable Gc	Adjustable Gc
	Gc(dB)	-2dB	-2dB	-3dB
LPF	Freq (Hz)			
	Slope (dB)			
	Type			
PEQ1	Freq (Hz)	72.9	72.9	71.0
	Level (dB)	5.0	6.0	3.5
	Type	Bell	Bell	Bell
	Q	0.5	1.3	1.5
	Bandwidth	2.543	1.084	0.945
PEQ2	Freq (Hz)	290	325	230
	Level (dB)	-2.0	-2.0	-2.5
	Type	Bell	Bell	Bell
	Q	1.8	5.0	2.2
	Bandwidth	0.792	0.288	0.650
PEQ3	Freq (Hz)	1,700	688	475
	Level (dB)	-2.0	-3.0	-3.5
	Type	Bell	Bell	Bell
	Q	3.0	3.0	2.5
	Bandwidth	0.479	0.479	0.573
PEQ4	Freq (Hz)	3,870	3,870	1,900
	Level (dB)	1.0	1.0	-3.8
	Type	Bell	Bell	Bell
	Q	2.5	3.0	3.0
	Bandwidth	0.573	0.479	0.479
PEQ5	Freq (Hz)	15,000	13,000	11,500
	Level (dB)	3.0	1.5	-4.0
	Type	Bell	Bell	Bell
	Q	1.5	3.0	6.0
	Bandwidth	0.945	0.479	0.240
PEQ6	Freq (Hz)			16,300
	Level (dB)			3.0
	Type			Bell
	Q			2.2
	Bandwidth			0.650
Limiters	Threshold	-12dB	-14dB	-14dB
	Attack	MID	MID	MID
	Release	FAST	FAST	FAST



## Processor settings CBR Floor Monitor

Categories		2-way Loudspeaker		
Model Name		CBR15	CBR12	CBR10
MTX-MRX library file name		CBR15_moni.ce3	CBR12_moni.ce3	CBR10_moni.ce3
Drive Mode		Passive	Passive	Passive
Output Name		Full-range	Full-range	Full-range
Gain	(dB)	0.0	0.0	0.0
Delay	(ms)	none	none	none
Polality		Normal	Normal	Normal
HPF	Freq (Hz)	40.0	40.0	45.0
	Slope (dB)	24	24	24
	Type	Adjustable Gc	Adjustable Gc	Adjustable Gc
	Gc(dB)	-2.00	-2.00	-3.00
LPF	Freq (Hz)			
	Slope (dB)			
	Type			
PEQ1	Freq (Hz)	100	125	205
	Level (dB)	-3.0	-2.0	-5.0
	Type	Bell	Bell	Bell
	Q	3.3	3.5	3.5
	Bandwidth	0.436	0.411	0.411
PEQ2	Freq (Hz)	335	1,120	475
	Level (dB)	-2.5	-3.2	-1.6
	Type	Bell	Bell	Bell
	Q	3.0	2.2	4.5
	Bandwidth	0.479	0.650	0.320
PEQ3	Freq (Hz)	1,000	400	710
	Level (dB)	-1.7	-3.0	-2.3
	Type	Bell	Bell	Bell
	Q	4.7	5.0	3.2
	Bandwidth	0.306	0.288	0.449
PEQ4	Freq (Hz)	1,830	600	1,700
	Level (dB)	-3.0	-3.2	-3.0
	Type	Bell	Bell	Bell
	Q	3.0	4.5	12.0
	Bandwidth	0.479	0.320	0.120
PEQ5	Freq (Hz)		3,750	11,200
	Level (dB)		2.0	-4.0
	Type		Bell	Bell
	Q		5.0	6.0
	Bandwidth		0.288	0.240
PEQ6	Freq (Hz)			10,600
	Level (dB)			4.5
	Type			H.SHELF 12dB/Oct
	Q			
	Bandwidth			
Limiters	Threshold	-12dB	-14dB	-14dB
	Attack	MID	MID	MID
	Release	FAST	FAST	FAST